

FOR SALE

EX-HIRE Equipment

ARS200 Hydraulic Puller - 15kN - S/No. 4624



MAX
PULL
15kN



MAX
SPEED
3.6km/h



ROPE
DIAMETER
8mm

Performance	
Max pull/tension (kN)	15
Speed at max pull/tension (km/hr)	0.7
Max speed (km/hr)	3.6
Pull/tension at max speed (kN)	4
Engine output (kW)	13
Bull wheel Dia. (mm)	200
Rope Dia. (mm)	8

Contact TEN for more images

Year	Description	Serial No.	Rego	VIN	Comments
2009	Hydraulic Puller 15kN	4624	983-QQI	6T9T20AAM908EB025	Includes 500m x 8mm steel rope, Side Guard and Emergency Stop

ARS403 Hydraulic Puller - 35kN - S/No. 3728



MAX
PULL
35kN



MAX
SPEED
3.6km/h



ROPE
DIAMETER
13mm

Performance	
Max pull/tension (kN)	35
Speed at max pull/tension (km/hr)	1.2
Max speed (km/hr)	3.6
Pull /tension at max speed (kN)	12
Engine output (kW)	25
Bull wheel Dia. (mm)	325
Rope Dia. (mm)	13

Contact TEN for more images

"Requires engine rebuild/replacement, functionally sound otherwise.
Contact TEN Hire for purchase price and estimated engine replacement costs"

Year	Description	Serial No.	Rego	VIN	Comments
2008	Hydraulic Puller - 35kN + AXR001	3728	608-QSM	6T9T20AAP805G8019	Non mine spec. Unit out of service – approximately 600 hours

Price on application - Contact Lindsay Taylor - 0400 968 238

ARS403MS Hydraulic Puller - 35kN - S/No. 4635



MAX
PULL

35kN



MAX
SPEED

3.6km/h



ROPE
DIAMETER

13mm


PO SOLD

Contact TEN Hire for more images

Performance	
Max pull/tension (kN)	35
Speed at max pull/tension (km/hr)	1.2
Max speed (km/hr)	3.6
Pull /tension at max speed (kN)	12
Engine output (kW)	25
Bull wheel Dia. (mm)	325
Rope Dia. (mm)	13

Year	Description	Serial No.	Rego	VIN	Comments
2010	Hydraulic Puller - 35kN + AXR001 (Underground adaptor capable)	4635	764-QSG	6V9N0RTRLAB043014	Mine Spec

ARS403MS Hydraulic Puller - 35kN - S/No. 4540



MAX
PULL

35kN



MAX
SPEED

3.6km/h



ROPE
DIAMETER

13mm

PO SOLD

Contact TEN Hire for more images

Performance	
Max pull/tension (kN)	35
Speed at max pull/tension (km/hr)	1.2
Max speed (km/hr)	3.6
Pull /tension at max speed (kN)	12
Engine output (kW)	25
Bull wheel Dia. (mm)	325
Rope Dia. (mm)	13

Year	Description	Serial No.	Rego	VIN	Comments
2009	Hydraulic Puller - 35kN + AXR001 (Underground adaptor capable)	4540	348-QQP	6T9T20AAM908EB060	Mine Spec

Price on application - Contact Lindsay Taylor - 0400 968 238

Cable Drum Stand - 6T - S/No. 10592



Redmond Gary DRUM STAND SKID

- Drums up to 3m in diameter and 1.5m in width
- Drum capacity up to 6,000kg.
- Manual brake with drum guide
- 3m OD drum spindle
- Includes Drum collar



Year	Description	Serial No.	Rego	Drum Size	Comments
2007	Cable Drum Stand	10592	N/A	3mOD x 1.5mWide	Spindle and cable drum guide

Contact TEN Hire for more images

Cable Drum Stand - 3T - S/No. CS13T00003



Part No. ME-DS-3.0T

- 350 Grade Steel Plate and RHS Hot Dip Galvanised
- Designed for independent payout tension of cable

Drum Qty & Capacity (mm)	Spindle Shaft Size (mm)
1 Drum up to 2600 Dia. x 1500 wide	80


Load rating per spindle (T)	Line Pull
3	500kg at 1000mm Dia.

Contact TEN Hire for more images

Year	Part No.	Description	Serial No.	Comments
2013	ME-DS-3.0T	3T Cable Drum Stand	CS13T00003	Spindle and cable drum drive

Price on application - Contact Lindsay Taylor - 0400 968 238

Cable Drum Stand - 6T - S/No. 2013-019



Part No. DSF-2016-6T

- Drums up to 2m in diameter and 1.6m in width
- Drum capacity up to 6,000kg.
- Manual brake with drum guide
- Complete with levelling screws
- 66mm OD drum spindle at 2800mm Long
- Includes Cones and collars

Contact TEN Hire for more images

Year	Part No.	Description	Serial No.	Comments
2013	DSF-2016-6T	Hearthill 6T Cable Drum Stand	2013-019	66 x 2800mm Spindle, levelling screws, cones & collars

Cable Drum Stand - 12T - S/No. 2014-037



Part No. DSF-2420-12T

- Drums up to 2.4m in diameter and 2.0m in width
- Drum capacity up to 12,000kg.
- Manual brake with drum guide
- Complete with levelling screws
- 90mm OD drum spindle
- Includes Cones and collars



Contact TEN Hire for more images

Year	Part No.	Description	Serial No.	Comments
2014	DSF-2420-12T	Hearthill 12T Cable Drum Stand	2014-037	90mm Spindle, levelling screws, cones & collars

Price on application - Contact Lindsay Taylor - 0400 968 238


PP-60-XHD-H - Pole Puller - 56T



#02



#03



Contact TEN Hire for more images



Specifications	
Performance	Pull 600kN at 2,250 psi max. 125,000 (155 bar)
Maximum Pole Size	700mm Diameter / 2230mm Circumference
Cylinder	Stroke 600mm, Bore 150mm, Rod 125mm
Head	Chain (2) 3/4" Grade 100
Footprint	Exterior 1168 x 1168mm / Interior 711 x 711mm
Height	Retracted 1500mm / Extended 2100mm
Weight	680kg



Item No.	Year	Description	Serial No.
#02	2014	Linewise Pole Puller - 56T	1312-61375-02
#03	2014	Linewise Pole Puller - 56T	1312-61375-03

Price on application - Contact Lindsay Taylor - 0400 968 238

3 x Sherman & Reilly Rollers - ROLLER 1000 (78 Series)



Part No. ROLLER-1000 (78 Series)



SOLD



Part No.	QTY	Description	Size
ROLLER 1000	3	SHERMAN & REILLY 78 SERIES URATHANE ROLLERS	1070mm (42")

Part No.	Dimensions (mm)									Wt (kg)
	A	B	C	D	E	F	G	H	I	
ROLLER 1000	1070	114	914	440	247	127	1473	317	28	70.5

AKTM5-5-1.5T - Equipotential Earth Mats 1.5m x 1.5m



Images for reference only, as available mats show evidence of use



KRI-TECH
PRODUCTS LTD



Part No.	QTY	Size (m)	Colour	Description
AKTM5-5-1.5T	22	1.5 x 1.5	Orange	Earth, mat, equipotential, 1.5m lead term to Screwdriver clamp

Equipotential Earth Mats - Suit stringing machine set-up



Part No.	QTY	Suit Tesmec	Colour	Description
TEN-EM-AFB506	1	ABF506	Orange	Earth Mat, Set of 2, With cutout for machine 25mm & 6mm braided Cu on orange PVC
TEN-EM-AFS411 /404	1	AFS411/404	Orange	

Images for reference only, as available mats show evidence of use

Price on application - Contact Lindsay Taylor - 0400 968 238